

EU Declaration of conformity

 ϵ

Company: CITEL

Address: 2, rue Troyon 92310, Sèvres, France

Trade Mark: CITEL

Products: Type 2 SPD for AC Network

This is to certify that **DS70R series**, as follow, products manufactured by Citel are in compliance with:

- Directive 2011/65/EU (and delegated directive 2015/863/EU) on the Restriction of the use Of certain Hazardous Substances in electrical and electronic equipment (RoHS Directive).

- Low Voltage Directive 2014/35/EU, of the Council of the European Union

Models	Application
DS71R-120	1-pole Type 2 SPD for 120 Vac network
DS71R-230	1-pole Type 2 SPD for 230 Vac network
DS71R-280	1-pole Type 2 SPD for 280 Vac network
DS71R-320	1-pole Type 2 SPD for 320 Vac network
DS71R-400	1-pole Type 2 SPD for 400 Vac network
DS71R-600	1-pole Type 2 SPD for 600 Vac network
DS71RS-120	1-pole Type 2 SPD for 120 Vac network (with remote signal)
DS71RS-230	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DS71RS-320	1-pole Type 2 SPD for 320 Vac network (with remote signal)
DS71RS-400	1-pole Type 2 SPD for 400 Vac network (with remote signal)
DS71RS-600	1-pole Type 2 SPD for 600 Vac network (with remote signal)
DS72R-120	Single phase Type 2 SPD for 120 Vac network
DS72R-230	Single phase Type 2 SPD for 230 Vac network
DS72R-280	Single phase Type 2 SPD for 280 Vac network
DS72R-320	Single phase Type 2 SPD for 320 Vac network
DS72R-400	Single phase Type 2 SPD for 400 Vac network
DS72R-600	Single phase Type 2 SPD for 600 Vac network

2 rue Troyon, 92316 Sèvres CEDEX – FRANCE – Phone : +331 41 23 50 23 Email : contact@citel.fr – Website : http://www.citel.fr



Models	Application
DS72R-120/G	Single phase Type 2 SPD for 120 Vac network
DS72R-230/G	Single phase Type 2 SPD for 230 Vac network
DS72R-320/G	Single phase Type 2 SPD for 320 Vac network
DS72R-400/G	Single phase Type 2 SPD for 400 Vac network
DS72RS-120	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DS72RS-230	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS72RS-280	Single phase Type 2 SPD for 280 Vac network (with remote signal)
DS72RS-320	Single phase Type 2 SPD for 320 Vac network (with remote signal)
DS72RS-400	Single phase Type 2 SPD for 400 Vac network (with remote signal)
DS72RS-600	Single phase Type 2 SPD for 600 Vac network (with remote signal)
DS72RS-120/G	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DS72RS-230/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS72RS-320/G	Single phase Type 2 SPD for 320 Vac network (with remote signal)
DS72RS-400/G	Single phase Type 2 SPD for 400 Vac network (with remote signal)
DS73R-120	3-phase Type 2 SPD for 120/208 Vac network
DS73R-230	3-phase Type 2 SPD for 230/400 Vac network
DS73R-320	3-phase Type 2 SPD for 230/400 Vac network
DS73R-400	3-phase Type 2 SPD for 230/400 Vac network
DS73R-600	3-phase Type 2 SPD for 274/600 Vac network
DS73RS-120	3-phase Type 2 SPD for 120/208 Vac network (with remote signal)
DS73RS-230	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS73RS-320	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS73RS-400	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS73RS-600	3-phase Type 2 SPD for 274/600 Vac network (with remote signal)
DS73RS-120/G	3-phase Type 2 SPD for 120/208 Vac network (with remote signal)
DS74R-120	3-phase + N Type 2 SPD for 120/208 Vac network
DS74R-230	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-280	3-phase + N Type 2 SPD for 280 Vac network
DS74R-320	3- phase + N Type 2 SPD for 230/400 Vac network
DS74R-400	3- phase + N Type 2 SPD for 230/400 Vac network
DS74R-120/G	3-phase + N Type 2 SPD for 120/208 Vac network



Models	Application
DS74R-230/G	3-phase + N Type 2 SPD for 280 Vac network
DS74R-280/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-320/G	3- phase + N Type 2 SPD for 230/400 Vac network
DS74R-400/G	3- phase + N Type 2 SPD for 230/400 Vac network
DS74RS-120	3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal)
DS74RS-230	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-320	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-400	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-120/G	3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal)
DS74RS-230/G	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-320/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-385/G	3- phase + N Type 2 SPD for 385 Vac network (with remote signal)
DS74RS-400/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS71R-48DC	1-pole Type 1 and Type 2 SPD for 48 Vdc network
DS72R-48DC	2-pole Type 1 and Type 2 SPD for 48 Vdc network
DS72RS-48DC	2-pole Type 1 and Type 2 SPD for 48 Vdc network (with remote signal)

The DS70R series is in compliance with their related European testing standard:

European standard	Description
EN 61643-11:2012 + EN 61643-11:2012/A11 : 2018	Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems - Requirement and test methods.

H.GUICHARD General Manager 2021-04-20

Authorized signatory for CITEL 2CP

P. Guillaumin Quality Manager 2021-04-20

CITEL 2 CP S.A.S.

Capital 5 013 500 €
2 rue Troyon

92316 SEVRES CEDEX

Tél.: 01 41 23 50 23

Fax: 01 41 23 50 09

Siren 387 740 095 - APE 27122

2 rue Troyon, 92316 Sèvres CEDEX – FRANCE – Phone : +331 41 23 50 23 Email : contact@citel.fr – Website : http://www.citel.fr