



UL Product iQ

UL'S NEXT GENERATION CERTIFICATIONS SEARCH The same trusted data in a modern search engine.

AVAILABLE ▶ LEARN MORE

E349646

QVLA.E349646 **Protectors for Antenna Lead-in Conductors**

Page Bottom

Protectors for Antenna Lead-in Conductors

See General Information for Protectors for Antenna Lead-in Conductors

CITEL AMERICA INC

10108 USA Today Way Miramar, FL 33025 USA

Model	Rated Max Discharge Current (I _{max})	Rated Nominal Discharge Current	Rated Power/ Current (RF, dc)	Comments/ Notes
Coaxial Antenna Lead-In Protector				
P8AX followed by -09, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	25 W, <5Ghz	Indoor/Outdoor
P8AX followed by -09, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	25 W, <7Ghz	Indoor/Outdoor
P8AX followed by -15, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	70 W, <5Ghz	Indoor/Outdoor
P8AX followed by -15, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	70 W, <7Ghz	Indoor/Outdoor
P8AX followed by -25, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	190 W, <5Ghz	Indoor/Outdoor
P8AX followed by -25, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	190 W, <7Ghz	Indoor/Outdoor
P8AX followed by -50, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	780 W, <5Ghz	Indoor/Outdoor
P8AX followed by -50, followed by -6G, followed by N/MF, N/FF, B/MF, B/FF, F/MF, F/FF, T/MF, T/FF, 7/16 /MF, 7/16 /FF, SMA/MF, SMA/FF, U/MF, U/FF, N/FF/ADP and N/MF/ADP.	10 kA	10 kA	780 W, <7Ghz	Indoor/Outdoor
PRCxxx-y/zz, where suffix xxx is 200 - 6000, y is N, F, B, T, 7/16, or SMA, and zz is MF or FF	40kA	40kA	1500 W, <5.8 kHz	Indoor/Outdoor
CXF60-N Series	10kA	10kA	-	Indoor/Outdoor

Last Updated on 2018-03-29

Questions? Print this page Terms of Use Page Top

@ 2018 ULLIC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".